Peer-Reviewed Publications

2012

Erickson BJ, **Meenan C**, Langer S. Standards for business analytics and departmental workflow. J Digit Imaging. 2012 Oct 11. [Epub ahead of print]

Kanal KM, Krupinski E, Berns EA, Geiser WR, Karellas A, Mainiero MB, Martin MC, Patel SB, Rubin DL, Shepard JD, **Siegel EL**, Wolfman JA, Mian TA, Mahoney MC, Wyatt M. ACR-AAPM-SIIM Practice Guideline for Determinants of Image Quality in Digital Mammography. *J Digit Imaging.* 2012 Sep 20. [Epub ahead of print]

Kho DY, Bluth EI, **Meenan** C, Nagy PG. Certification of Imaging Informatics Professionals (CIIP): 2010 survey of diplomats. J Digit Imaging. 2012;25:678–681.

Krupinski EA, Hall ET, Jaw S, Reiner B, **Siegel E**. Influence of radiology report format on reading time and comprehension. *J Digit Imaging.* 2012;25:63–69.

Mazura JC, Juluru K, **Chen JJ**, Morgan TA, John M, **Siegel EL**. Facial recognition software success rates for the identification of 3D surface reconstructed facial images: implications for patient privacy and security. *J Digit Imaging.* 2012;25:347–351.

Morgan TA, Flanders AE, Olmsted WW, Steenburg SD, **Siegel EL**. Challenges encountered and lessons learned in initial experience with the next generation of interactive radiology literature in *RadioGraphics. RadioGraphics.* 2012;32:929–934.

Prasanna PM, **Siegel E**, Kunce A. Greening radiology. *J Am Coll Radiol.* 2011;8:780–784.

Waldstein SR, Wendell CR, Lefkowitz DM, **Siegel EL**, Rosenberger WF, Spencer RJ, Manukyan Z, Katzel LI. Interactive relations of blood pressure and age to subclinical cerebrovascular disease. *J Hypertens.* 2012;30:2352–2356.

2011

Awan O, Safdar NM, Siddiqui KM, Moffitt R, **Siegel EL**. Detection of cervical spine fracture on computed radiography images: a monitor resolution study. *Acad Radiol.* 2011 Jan 5. [Epub ahead of print]

Balter JM, Haffty BG, Dunnick NR, **Siegel EL**; Imaging Opportunities Workshop Participants. Imaging opportunities in radiation oncology. *Int J Radiat Oncol Biol Phys.* 2011;79:342–347.

Chen JY, Seagull FJ, Nagy P, Lakhani P, Melhem ER, **Siegel EL**, Safdar NM. Computer input devices: neutral party or source of significant error in manual lesion segmentation? *J Digit Imaging*. 2011;24:135–141.

Levine ZH, Galloway BR, Peskin AP, Heussel CP, **Chen JJ**. Tumor volume measurement errots of RECIST studied with ellipsoids. *Med Phys.* 2011;38:2552–2557.

Nagle C, **Knight N**. 2010: the year in review. *J Nucl Med.* 2011;52(2):13N.

Safdar N, Shet N, Bulas D, **Knight N**. Handoffs between radiologists and patients: threat or opportunity? J Am Coll Radiol. 2011;8:853–857.

Safdar NM, **Siegel E**, Erickson BJ, Nagy P. Enabling comparative effectiveness research with informatics: show me the data! *Acad Radiol.* 2011;18:1072–1076.

Shet N, **Chen J, Siegel EL**. Continuing challenges in defining image quality. *Pediatr Radiol.* 2011;41:582–587.

Wang KC, Filice RW, Philbin JF, **Siegel EL**, Nagy PG. Five levels of PACS modularity: integrating 3D and other advanced visualization tools. *J Digit Imaging.* 2011;24:1096–1102.

Zemariame N, **Knight N**, **Siegel EL**. Redesigning the nuclear medicine reading room. *Semin Nucl Med.* 2011;41:463–471.

2010

Awan OA, van Wagenberg F, **Daly M**, Safdar N, Nagy P. Tracking delays in report availability caused by incorrect exam status with web-based issue tracking: a quality initiative. *J Digit Imaging.* 2010 Aug 27. [Epub ahead of print]

Meenan C, King A, **Toland C, Daly M**, Nagy P. Use of a wiki as a radiology departmental knowledge management system. *J Digit Imaging.* 2010;23:142–151.

Levine ZH, Borchardt BR, Brandenburg NJ, Clark CW, Muralikrishnan B, Shakarji CM, **Chen JJ**, **Siegel EL**. RECIST vs. volume measurement in medical CT using ellipsoids of known size. *Opt Express.* 2010;18:8151–8159.

Morgan TA, Steenburg SD, **Siegel EL**, Mirvis SE. Acute traumatic aortic injuries: posttherapy multidetector CT findings. *RadioGraphics.* 2010;30:851–867.

Nagle C, **Knight N**. The state of nuclear medicine, 2010. *J Nucl Med.* 2010;51(2):13N–14N.

Sharpe RE Jr, Sharpe M, **Siegel E**, Siddiqui K. Utilization of a radiology-centric search engine. *J Digit Imaging.* 2010;23:211–216.

Siegel EL, Flanders AE, Morgan TA, Steenburg SD. Explore the potential next generation of interactive radiology literature in *RadioGraphics*. *RadioGraphics*. 2010;30:849–850.

Steenburg SD, Sliker CW, Shanmuganathan K, **Siegel EL**. Imaging evaluation of penetrating neck injuries. *RadioGraphics.* 2010;30:869–886.

Waldstein SR, Lefkowitz DM, **Siegel EL**, Rosenberger WF, Spencer RJ, Tankard CF, Manukyan Z, Gerber EJ, Katzel L. Reduced cerebral blood flow in older men with higher levels of blood pressure. *J Hypertens.* 2010;28:993–998.

Wendell CR, Hosey MM, Lefkowitz DM, Katzel LI, **Siegel EL**, Rosenberger WF, Waldstein SR. Depressive symptoms are associated with subclinical cerebrovascular disease among healthy older women, not men. *Am J Geriatr Psychiatry.* 2010;18:940–947.

2009

Chen JJ, Jeudy J, Thorn E, White CS. Computed tomography assessment of valvular morphology, function, and disease. *J Cardiovasc Comput Tomogr.* 2009;3(1 suppl):S47–S56.

Chen JJ, Manning MA, Frazier AA, Jeudy J, White CS. CT Angiographic imaging of the cardiac valves: normal, diseased and postoperative appearances. *RadioGraphics.* 2009;29:1393–1412.

Foos DH, Sehnert WJ, Reiner B, **Siegel EL**, Segal A, Waldman DL. Digital Radiography reject analysis: data collection methodology, results, and recommendations from an in-depth investigation at two hospitals. *J Digit Imaging.* 2009;22:89–98.

Knight N. Return of the radionuclide shortage. **J Nucl Med.** 2009;50(7):13N–14N.

Levine ZH, Li M, Reeves AP, Yankelevitz DF, **Chen JJ**, **Siegel EL**, Peskin A, Zeiger DN. A low-cost density reference phantom for computed tomography. *Med Phys.* 2009;36:286–288.

Nagy PG, Warnock MJ, **Daly M, Toland C, Meenan CD**, Mezrich RS. Informatics in radiology: automated Web-based graphical dashboard for radiology operational business intelligence. *RadioGraphics.* 2009;29:1897–1906.

Reiner BI, **Siegel EL**. Decommoditizing radiology. *J Am Coll Radiol.* 2009;6:167–170.

Reiner BI, **Siegel EL**. The clinical imperative of medical imaging informatics. *J Digit Imaging.* 2009;22:345–357.

Safdar NM, Siddiqui KM, Qureshi F, Mirza MK, **Knight N**, Nagy P, **Siegel E**. Vision and quality in the digital imaging environment: how much does the visual acuity of radiologists vary at an intermediate distance?. *AJR Am J Roentgenol.* 2009;192:W335-W340.

White CS, Flukinger T, Jeudy J, **Chen JJ**. Use of a computer-aided detection system to detect lung cancer overlooked prospectively on chest radiograph. *Radiology.* 2009;252:273–281.

2008

Armato SG III, Meyer CR, McNitt-Gray MF, McLennan G, Reeves AP, Croft BY, Clarke LP, **Siegel EL**. The RIDER Research Group. The Reference Image Database to Evaluate Response to Therapy in Lung Cancer (RIDER) Project: a resource for the development of change-analysis software. *Clin Pharmacol Therapeut.* 2008;84:448–456.

Chen JJ, White CS. CT angiography for coronary artery bypass graft surgery. *Appl Radiol.* 2008;37:10–18.

Chen JJ, White CS. Use of CAD to evaluate for lung cancer on chest radiography. *J Thorac Imaging.* 2008;23:93–96.

Kamauu AWC, Whipple JJ, Duvall SL, Siddiqui KM, **Siegel EL**, Avrin DE. Informatics in radiology. IHE Teaching File and Clinical Trial Export Integration Profile: functional examples. *RadioGraphics.* 2008;28:933–945.

Mendelson DS, Bak PR, Menschik E, **Siegel E**. Informatics in radiology: Image exchange: IHE and the evolution of image sharing. *RadioGraphics.* 2008;28:1817–1833.

Reiner B, **Siegel E**. The potential for gaming techniques in radiology education and practice. *J Am Coll Radiol.* 2008;5:110–114.

Saltz J, Kurc T, Hastings S, Langella S, Oster S, Ervin D, Sharma A, Pan T, Gurcan M, Permar J, Ferreira R, Payne P, Catalyurek U, Caserta E, Leone G, Ostrowski MC, Madduri R, Foster I, Madhavan S, Buetow KH, Shanbhag K, **Siegel E**. e-Science, caGrid, and translational biomedical research. *Computer.* 2008;41:58–66

2007

Chen JJ, Ha JC, Mirvis SE. MR imaging of the brain in fat embolism syndrome. *Emerg Radiol.* 2007;15:187–192.

Chen JJ, Mirvis SE, Shanmuganathan K. MDCT diagnosis and endovascular management of bullet embolization to the heart. *Emerg Radiol.* 2007;14:127–130.

Gurcan MN, Pan T, Sharma A, Kurc T, Oster S, Langella S, Hastings S, Siddiqui KM, **Siegel EL**, Saltz J. GridIMAGE: a novel use of grid computing to support interactive human and computer-assisted detection decision support. *J Digit Imaging* 2007;20:160–171.

Pan TC, Gurcan MN, Langella SA, Oster SW, Hastings SL, Sharma A, Rutt BG, Ervin DW, Kurc TM, Siddiqui KM, Saltz JH, **Siegel EL**. Informatics in radiology: GridCAD: grid-based computer-aided detection system. *RadioGraphics.* 2007;27:889–897

Pan TC, Gurcan MN, Langella SA, Oster SW, Hastings SL, Sharma A, Rutt BG, Ervin DW, Kurc TM, Siddiqui KM, Saltz JH, **Siegel EL**. Informatics in radiology: Grid CAD: grid-based computer-aided detection system. *RadioGraphics.* 2007;27:889–897.

Reiner BI, **Knight N**, **Siegel EL**. Radiology reporting, past, present, and future: the radiologist's perspective. *J Am Coll Radiol.* 2007;4:313–319.

Siegel EL, Khorasani R. To compress or not to compress: a compressed debate. *J Am Coll Radiol.* 2007;1:981–983.

Siegel EL, Reiner BI, Siddiqui KM. Ten filmless years and ten lessons: a 10th-anniversary retrospective from the Baltimore VA Medical Center. *J Am Coll Radiol.* 2007;1:824–833.

Toland C, Meenan C, Warnock M, Nagy P. Proactively monitoring departmental clinical IT systems with an open source availability system. *J Digit Imaging.* 2007;20(Suppl 1):119–124.

Warnock MJ, **Toland C**, Evans D, Wallace B, Nagy P. Benefits of using the DCM4CHE DICOM archive. *J Digit Imaging.* 2007;20(Suppl 1):125-9.

2006

Chen JJ, Branstetter BF, Welch WC. Multiple posterior vertebral fusion abnormalities: a case report and review of the literature. *AJR Am J Roentgenol.* 2006;186:1256–1259.

Meenan C, Daly B, **Toland C**, Nagy P. Use of a thin-section archive and enterprise 3D software for long-term storage of thin-slice CT data sets. *J Digit Imaging.* 2006;19(Suppl 1):84–88.

Nagy P, Kahn CE Jr, Boonn W, Siddiqui K, **Meenan C, Knight N**, Safdar N. Building virtual communities of practice. *J Am Coll Radiol.* 2006;3:716–720.

Reiner B, **Siegel E**. Radiology reporting: returning to our image-centric roots. *AJR Am J Roentgenol.* 2006;187:1151–1155.

Reiner BI, **Siegel EL**, Siddiqui KM, Musk AE. Quality assurance: the missing link. *Radiology.* 2006;238:13–15.

Reiner BI, **Siegel EL**. Pay for performance (P4P) in medical imaging: the time has (finally) come. *J Digit Imaging.* 2006;19:289–294.

Siddiqui KM, Chia S, **Knight N**, **Siegel EL**. Design and ergonomic considerations for the filmless environment. *J Am Coll Radiol.* 2006;3:456–467.

Siegel E, Krupinski E, Samei E, Flynn M, Andriole K, Erickson B, Thomas J, Badano A, Seibert JA, Pisano ED. Digital mammography image quality: image display. *J Am Coll Radiol.* 2006;3:615–627.

Toland C, Meenan C, Toland M, Safdar N, Vandermeer P, Nagy P. A suggested classification guide for PACS client applications: the five degrees of thickness. *J Digit Imaging.* 2006;19(Suppl 1):78–83.

2005

Arora M, Falsafi N, Al-Ibrahim M, Sawyer R, **Siegel E**, Joshi A, Finkelstein J. Evaluation of CoViSTA - an automated vital sign documentation system - in an inpatient hospital setting. *AMIA Annu Symp Proc.* 2005:885.

Chen JJ, Branstetter BF, Myers EN. Cricoarytenoid rheumatoid arthritis: an important consideration in aggressive laryngeal lesions. *AJNR Am J Neuroradiol.* 2005;26:970–972.

Davies BJ, **Chen J**, Modugno F, Weissfeld J, Landsittel D, Dhir R, Nelson J, Getzenberg RH. Contribution of the prostate limits the usefulness of Survivin for the detection of bladder cancer. *J Urol.* 2005;174:1767–1770.

Davies BJ, **Chen JJ**, McMurry T, Landsittel D, Lewis NA, Brenes G, Getzenberg RH. Efficacy of BTA stat, cytology, and Survivin in bladder cancer surveillance over 5 years in patients with spinal cord injury. *Urology.* 2005;66:908–911.

Hussain A, Dawson N, Amin P, Engstrom C, Dorsey B, **Siegel EL**, Guo C. Docetaxel followed by hormone therapy in men experiencing increasing prostate-specific antigen after primary local treatments for prostate cancer. *J Clin Oncol.* 2005; 23:2789–2796.

Nagy P, Bowers G, Reiner BI, **Siegel EL**. Defining the PACS profession: an initial survey of skills, training, and capabilities for PACS administrators. *J Digit Imaging.* 2005;18:252–259.

Ouyang DL, **Chen JJ**, Getzenberg RH, Schoen RE. Non-invasive testing for colorectal cancer: a review. *Am J Gastroenterol.* 2005;100:1393–1403.

Reiner BI, Salkever D, **Siegel EL**, Hooper FJ, Siddiqui KM, Musk A. Multi-institutional analysis of computed and direct radiography: Part II. Economic analysis. *Radiology.* 2005;236:420–426.

Reiner BI, **Siegel EL**, Hooper FJ, Siddiqui KM, Musk A, Walker L, Chacko. Multi-institutional analysis of computed and direct radiography: Part I. Technologist productivity. *Radiology.* 2005;236:413–419.

2004

Andriole KP, Morin RL, Arenson RL, Carrino JA, Erickson BJ, Horii SC, Piraino DW, Reiner BI, Seibert JA, **Siegel E**. Addressing the coming radiology crisis-the Society for Computer Applications in Radiology transforming the radiological interpretation process (TRIP) initiative. *J Digit Imaging.* 2004;17:235–243.

Reiner B, **Siegel E**, Siddiqui K. The tail shouldn't wag the dog. *J Digit Imaging.* 2004;17:147–148.

Reiner BI, **Siegel EL**, Siddiqui K. Evolution of the digital revolution: a radiologist perspective. *J Digit Imaging.* 2004;16:324–330.

Siegel EL, Khorasani R. To compress or not to compress: a compressed debate. *J Am Coll Radiol.* 2004;1:981–983.

Siegel EL, Reiner BI, Siddiqui KM. Ten filmless years and ten lessons: A 10th-anniversary retrospective from the Baltimore VA Medical Center. *J Am Coll Radiol.* 2004;1:824–833.

2003

Benitez RM, **Siegel E**, Xie XY. A 50-year-old man with chest pain. *Am J Med Sci.* 2003;325:70–74.

Nagy P, **Siegel E**, Hanson T, Kreiner L, Johnson K, Reiner B. PACS reading room design. *Semin Roentgenol.* 2003;38:244–255

Siegel E. Ahead of the curve or out of the loop? Ten challenges to nuclear medicine interconnectivity. *J Nucl Med.* 2003;44:14N,16N.

Siegel EL, Reiner BI. Filmless radiology at the Baltimore VA Medical Center: a 9-year retrospective. *J Comput Med Imaging Graph* 2003;27:101–109

Siegel ES. Experience with digital imaging at the VA Maryland Healthcare System: A ten-year retrospective. *Comput Med Imaging Graphics.* 2003

Tankard CF, Waldstein SR, **Siegel EL**, Holder LE, Lefkowitz D, Anstett F, Katzel LI. Cerebral blood flow and anxiety in older men: an analysis of resting anterior asymmetry and prefrontal regions. *Brain Cogn.* 2003;52:70–78.

Tracy BL, Ivey FM, Jeffrey Metter E, Fleg JL, **Siegel EL**, Hurley BF. A more efficient magnetic resonance imaging-based strategy for measuring quadriceps muscle volume. *Med Sci Sports Exerc.* 2003;35:425–433

2002

Callaway EC, Sweet CF, **Siegel E**, Reiser JM, Beall DP. Speech recognition interface to a hospital information system using a self-designed Visual Basic program: initial experience. *J Digit Imaging.* 2002;15:43–53.

Knight N. Radioimmunotherapy and NHL: nuclear medicine on the oncology team. *J Nucl Med.* 2002;43(4):11N–12N, 25N.

Reiner B, **Siegel E**, Carrino JA, McElveny C. SCAR Radiologic Technologist Survey: analysis of technologist workforce and staffing. 2002;15:121–131.

Reiner B, **Siegel E**, Carrino JA. Workflow optimization: current trends and future directions. *J Digit Imaging.* 2002;15:141–152.

Reiner B, **Siegel E**, Scanlon M. Changes in technologist productivity with implementation of an enterprisewide PACS. *J Digit Imaging.* 2002;15:22–26.

Reiner BI, **Siegel EL**, Carrino JA, Goldburgh MM. SCAR Radiologic Technologist Survey: analysis of the impact of digital technologies on productivity. *J Digit Imaging.* 2002;15:132–140.

Reiner BI, **Siegel EL**. Accuracy of interpretation of CT scans: comparing PACS monitor displays and hard-copy images.. *Am J Roentgenol.* 2002;179:1407–1410.

Reiner BI, **Siegel EL**. Accuracy of interpretation of CT scans: comparing PACS monitor displays and hard-copy images. *Am J. Roentgenol.* 2002;179:1407–1410.

Reiner BI, **Siegel EL**. Technologists' productivity when using PACS: comparison of filmbased versus filmless radiography. *Am J Roentgenol.* 2002;179:33–37.

Reiner BI, **Siegel EL**. The cutting edge: strategies to enhance radiologist workflow in filmless/paperless imaging department. *J Digit Imaging.* 2002;15:178–190.

Siegel E, Channin D, Perry J, Carr C, Reiner B. Medical Image Resource Center 2002: An update on the RSNA's Medical Image Resource Center. *J Digit Imaging.* 2002;15:2–4.

Siegel E, Reiner B. Work flow redesign: the key to success when using PACS. *Am J Roentgenol.* 2002;178:563–566.

2001

Channin D, **Siegel E**, Carr C, Sensmeier J. The future of IHE. *RadioGraphics.* 2001;21:1605–1608.

Channin DS, Parisot C, Wanchoo V, Leontiev A, **Siegel E**. What does IHE do for me? *RadioGraphics.* 2001;21:1351–1358.

Henderson M, Behlen F, Parisot C, **Siegel E**, Channin D. The role of existing standards in IHE. *RadioGraphics.* 2001;21:1597–1603

Reiner B, **Siegel E**. Application service providers: an alternative approach to PACS implementation. *J Digit Imaging.* 2001;178:563–566.

Reiner BI, **Siegel EL**, Hooper FJ, Pomerantz S, Dahlke A, Rallis D. Radiologists' productivity in the interpretation of CT scans: a comparison of PACS with conventional film. *Am J Roentgenol.* 2001;176:861–864.

Roth SM, Ivey FM, Martel GF, Lemmer JT, Hurlbut DE, **Siegel** EL, Metter EJ, Fleg JL, Fozard JL. Muscle size responses to strength training in young and older men and women. *J Am Geriatr Soc.* 2001;49:1428–1433.

Siegel E, Reiner B. The Radiological Society of North America's Medical Image Resource Center: an update. *J Digit Imaging.* 2001;14(Suppl 1):77–79.

Siegel EL, Channin DS. Integrating the Healthcare Enterprise: A Primer. Part 1. Introduction. *RadioGraphics.* 2001;21:1339–1341.

2000

Ivey FM, Roth SM, Ferrell RE, Tracy BL, Lemmer JT, Hurlbut DE, Martel GF, **Siegel EL**, Fozard JL, Metter, EJ, Fleg JL, Hurley BR. Effects of age, gender, and myostatin genotype on the hypertrophic response to heavy resistance strength training. *J Gerontol A Biol Sci Med Sci.* 2000;55:M641–M648.

Knight N. Parkinson's disease: nuclear medicine in the spotlight. *J Nucl Med.* 2000;41(12):10N, 13N–14N, 17N.

Kuzmak PM, Reiner BI, **Siegel EL**, Severance SM, Dayhoff RE. Challenges associated with interfacing computed tomography to a picture archiving and communication system at the Baltimore Veterans Affairs Medical Center—a historical perspective. *J Digit Imaging.* 2000;13(Suppl 1):83–87.

Pomerantz SM, White CS, Krebs TL, Daly B, Sukumar SA, Hooper F, **Siegel EL**. Liver and bone window settings for soft-copy interpretation of chest and abdominal CT. *Am J Roentgenol.* 2000;174:311–314.

Reiner B, **Siegel E**, Kuzmak P, Severance S. Transmission failure rate for computed tomography examinations in a filmless imaging department. *J Digit Imaging.* 2000;13(Suppl 1):79–82.

Reiner B, **Siegel E**, McKay P. Adoption of alternative financing strategies to increase the diffusion of picture archiving and communication systems into the radiology marketplace. *J Digit Imaging.* 2000;13(Suppl 1):108–113.

Reiner B, **Siegel E**. Understanding financing options for PACS implementation. Picture archiving and communication systems. *J Digit Imaging.* 2000;12:49–54.

Reiner BI, **Siegel EL**, Flagle C, Hooper FJ, Cox RE, Scanlon M. Effect of filmless imaging on the utilization of radiologic services. *Radiology.* 2000;215:163–167.

Siegel E, Reiner B, Abiri M, Chacko A, Morin R, Ro DW, Spicer K, Strickland N, Young J. The filmless radiology reading room: A survey of established picture archiving and communication system sites. *J Digit Imaging.* 2000;13(Suppl 1):22–23.

Siegel EL, Reiner BI, Cadogan M. Frequency and impact of high-resolution monitor failure in a filmless imaging department. *J Digit Imaging.* 2000;13(Suppl 1):114–118.

Xuan J, Adali T, Wang Y, **Siegel E**. Automatic detection of foreign objects in computed radiography. *J Biomed Optics.* 2000;5:425–431.

Xuan J, Adali T, Wang YJ, **Siegel EL**. Automatic detection of foreign objects in computed radiography. *J Biomed Optics.* 2000;5:425–431.

1999

Hooper FJ, Squibb KS, **Siegel EL**, McPhaul K, Keogh JP. Elevated urine uranium excretion by soldiers with retained uranium shrapnel. *Health Phys.* 1999;77:512–519.

Krebs TL, Berg WA, Roys SR, Ratakonda S, Pomerantz SM, **Siegel EL**. MammoWeb continuing medical education (CME): A web-based breast imaging CME program. *J Digit Imaging.* 1999;12 (Suppl 1):124–126.

Reiner B, **Siegel E**, Protopapas Z, Hooper F, Ghebrekidan H, Scanlon M. Impact of filmless radiology on frequency of clinician consultations with radiologists.. *Am J Roentgenol.* 1999; 173:1169–1172.

Siegel EL, Reiner BI. Challenges associated with the incorporation of digital radiography into a picture archival and communication system. *J Digit Imaging.* 1999;12(Suppl 1):6–8.

Tracy BL, Ivey FM, Hurlbut D, Martel GF, Lemmer JT, **Siegel EL**, Metter EJ, Fozard JL, Fleg JL, Hurley BF. Muscle quality II. Effect of strength training in 65 to 75 yr-old men and women. *J Appl Physiol.* 1999; 86:195-201.

1998

Korn P, Sidiropoulous N, Faloutsos C, **Siegel E**, Protopapas Z. Fast and effective retrieval of medical tumor shapes. *Knowl Data Eng.* 1998;10:889–904.

Lowitt MH, Kessler II, Kauffman CL, Hooper FJ, **Siegel E**, Burnett JW. Teledermatology and inperson examinations: A comparison of patient and physician perceptions and diagnostic agreement. *Arch Dermatol.* 1998;134:471–476.

Lowitt MH, Kessler II, Kauffman CL, Hooper FJ, **Siegel E**, Burnett JW. Teledermatology and inperson examinations: a comparison of patient and physician perceptions and diagnostic agreement. *Arch Dermatol.* 1998;134:471–476.

Mackowiak PA, **Siegel EL**, Wasserman SS, Cameron E, Nessaiver M, Bever C. Effects of IFNBeta on human cerebral blood flow distribution. *J Interferon Cytokine.* 1998;18:393–397

Pace M, Krebs T, Wong-You-Cheong J, Daly B, Pomerantz S, **Siegel EL.** Comparison of three display methods for evaluating ct angiography data for the vascular assessment of renal donors. *J Digit Imaging.* 1998;11(Suppl 1):145–148.

Pace Me, Krebs TL, Wong-You-Cheong JJ, Daly B, Pomerantz SM, **Siegel EL**. Comparison of three display methods for evaluating CT angiography data for the vascular assessment of renal donors. *J Digit Imaging.* 1998;11(3 Suppl 1):145–148.

Reiner B, **Siegel E**, Allman R. Strategies for the promotion of computer applications in radiology in healthcare delivery. *J Digit Imaging.* 1998;11(3 Suppl 1):142–144.

Reiner B, **Siegel E**, Allman R. Strategies for the promotion of computer applications in radiology in healthcare delivery. *J Digit Imaging.* 1998;11(Suppl 1):142–144.

Reiner B, **Siegel EL**, Hooper F, Protopapas Z. Impact of filmless imaging on the frequency of clinician review of radiology images. *J Digit Imaging* 1998;11 (Suppl 1); 149–151.

Reiner B, **Siegel EL**, Israel E. Development of county health department website for the surveillance and education of atypical pneumonias. *J Digit Imaging.* 1998;11(Suppl 1):129.

Reiner BI, **Siegel EL**, Hooper F, Protopapas Z. Impact of filmless imaging on the frequency of clinician review of radiology images. *J Digit Imaging.* 1998;11(3 Suppl 1):149–150.

Reiner BI, **Siegel EL**, Hooper FJ, Glasser D. Effect of film-based versus filmless operation on the productivity of CT technologists. *Radiology.* 1998;207:481–485.

Ruskin PE, Reed S, Kumar R, Kling MA, **Siegel E**, Rosen M, Hauser P. Reliability and acceptability of psychiatric diagnosis via telecommunication and audiovisual technology. *Psychiatr Serv.* 1998;49:1086–1088.

Siegel E, Groleau G, Reiner B, Stair T. Computerized follow-up of discrepancies in image interpretation between emergency and radiology departments. *J Digit Imaging.* 1998;11(3 Suppl 1):18–20.

Siegel EL, Reiner BI. Recommendations for image prefetch or film digitization strategy based on an analysis of an historic radiology image database. *J Digit Imaging.* 1998;11:94–99.

Siegel EL. Economic and clinical impact of filmless operation in a multifacility environment. *J Digit Imaging.* 1998;11(4 Suppl 2):42–47.

Siegel ES. Economic and clinical impact of filmless operation in a multifacility environment. *J Digit Imaging.* 1998;11(4Suppl 2):42–47.

1997

Protopapas Z, **Siegel EL**, Scanlon M, Mazan W, Reiner BI, Ghabrekidan H, Warner J, Pomerantz SM, Gitlin JN. Experience with comparative picture archiving and communication system baseline data collection at four Veterans Affairs Medical Centers: methodology, lessons learned, and suggestions for improvement. *J Digit Imaging.* 1997;10(3 Suppl 1):161–164.

Reiner B, **Siegel E**, Hooper F, Ghebrekidan H, Warner J, Briscoe B, Protopapas Z, Pomerantz S. Variation of monitor luminance on radiologist productivity in the interpretation of skeletal radiographs using a picture archiving and communication system. *J Digit Imaging.* 1997;10(3 Suppl 1):176.

Reiner B, **Siegel E**, Hooper F, Ghebrekidan H, Warner J, Briscoe B, Protopapas Z, Pomerantz S. Effect of screen monitor number on radiologist productivity in the interpretation of portable chest radiographs using a picture archiving and communication system. *J Digit Imaging.* 1997;10(3 Suppl 1): 175.

Reiner B, **Siegel E**, Sawyer R, Brocato RM, Maroney M, Hooper F. The impact of routine CT of the chest on the diagnosis and management of newly diagnosed squamous cell carcinoma of the head and neck. *Am J Roentgenol.* 1997;169:667–671.

Reiner BI, **Siegel EL**, French KJ, Dentry RS, Mazan WT, Maroney MJ. Use of computed radiography in the study of an historic painting. *RadioGraphics* 1997;17:1487–1495.

Siegel EL, Protopapas Z, Reiner BI, Pomerantz SM. Patterns of utilization of computer workstations in a filmless environment and implications for current and future picture archiving and communications systems. *J Digit Imaging.* 1997;10(3 Suppl 1): 41–43.

Siegel EL, Reiner BI, Protopapas Z, Pomerantz SM, Kuzmak PM. Analysis of the clinical impact of a DICOM HIS/RIS to modality interface and recommendations for improvement. *Med. Imaging* 1997;3035:146–149.

1996

Pomerantz SM, Shanmuganathan K, **Siegel EL**, Mirvis SE, Carter E. Liver herniation through an occult diaphragmatic injury presenting as a solitary pulmonary nodule: value of helical CT. *Emerg Med.* 1996;3:205–208.

Pomerantz SM, **Siegel EL**, Protopapas Z, Reiner BI, Pickar ER. Experience and design recommendations for picture archiving and communication systems in the surgical setting. *J Digit Imaging.* 1996;9:123–130.

Protopapas Z, **Siegel EL**, Reiner BI, Pomerantz SM, Pickar E, Wilson M, Hooper F. Picture Archiving and Communication System training for physicians: lessons learned at the Baltimore VA Medical Center. *J Digit Imaging.* 1996;9:131–136.

Reiner BI, **Siegel EL**, Hooper F, Pomerantz SM, Protopapas Z, Pickar E, Killewich L. Picture archiving and communication systems and vascular surgery: clinical impressions and suggestions for improvement.. *J Digit Imaging.* 1996;9:167–171.

Reiner BI, **Siegel EL**, McLaurin T, Pomerantz SM, Allman RM, Hebel JR, Fritz SL, Protopapas Z. Evaluation of soft-tissue foreign bodies: comparing conventional plain film radiography, computed radiography printed on film, and computed radiography displayed on a computer workstation. *Am J Roentgenol* 1996;167:141–144.

Siegel E. Implications of filmless operation for the department, the hospital, and the network. *Appl Radiol.* 1996;25:53–55.

Siegel EL, Protopapas Z, Reiner, BI, Pomerantz SM, Cameron EW, Pickar ER. A prospective evaluation of the impact of filmless operation on the Baltimore VA Medical Center. *RBM: Rev Europ Technol Biomed.* 1996;18:149–152.

1995

Siegel EL, Diaconis JN, Pomerantz S, Allman RM, Briscoe B. Making filmless radiology work. *J Digit Imaging.* 1995;8:151–155.

1994

Siegel E, Brown A. Preliminary impacts of PACS technology on radiology department operations. *Proc Ann Symp Comput Appl Med Care.* 1994 :917–921.

Leckie RG, Goeringer F, Smith DV, Meyer C, **Siegel EL, Kim Y.** MDIS workstation: an update of performance after nearly two years of clinical use. *Med Imaging.* 1994;2164:318–332.

1993

Pomerantz SM, Mirvis SE, **Siegel ES**, Belzberg H. False pulmonary artery catheter measurements due to the scimitar (hypogenetic lung) syndrome: potential for iatrogenic. *Chest.* 1993;103:1895–1897.

1990

Horton AM Jr, **Siegel EL**. Comparison of multiple sclerosis and head trauma patients: a neuropsychological pilot study. *Int J Neurosci.* 1990;53:213–215.

1989

Berman JJ, Hoover L, **Siegel E**. Diagnosis of benign liver tumors by aspiration cytology. *Cytopathology.* 1989;17(10).

Green D, Criner GJ, **Siegel E**. A middle-aged man with a right upper lobe mass. *Chest.* 1989;95:435–437.

Knight N. Approaching a century of radiology: museum and information resources. *RadioGraphics.* 1989;9:1101–1111.

1988

Murray RJ, Criner GJ, **Siegel E**. Multiple schwannomas presenting as a mass of the lateral chest wall. *Am J Roentgenol.* 1988;151:1250–1251.

<u>Volumes (edited and/or authored)</u>

Knight N. *A Comprehensive Bibliography of X-Ray and Ionizing Radiation Articles Appearing in North American Medical Journals, 1896–1910.* Washington, DC: Smithsonian Institution; 1982. [Institutional distribution only].

Knight N. *A Guide to the Radiological and X-Ray Related Artifacts in the Collections of the Museum of American History.* Washington, DC: Smithsonian Institution; 1981. [Institutional distribution only.]

Knight N. *Pain and Its Relief.* Washington, DC: Smithsonian Institution; 1983.

Reiner BI, **Siegel EL**, Erickson BJ. *Decision Support in the Digital Medical Enterprise*. Leesburg, VA: SCAR Press, Inc.; 2005.

Reiner BI, **Siegel EL**, Weiss DL. *Electronic Reporting in the Digital Medical Enterprise*, Leesburg, VA: SCAR Press, Inc.; 2003.

Siegel EL, Blaine GJ. *Medical Imaging 2000: PACS and Integrated Medical Information Systems: Engineering and Clinical ISS*. Proceedings. Bellingham, WA: SPIE; 2000.

Siegel EL, Huang H.K. *Medical Imaging 2001: PACS and Integrated Medical Information Systems: Design and Evaluation*. Proceedings. Bellingham, WA: SPIE; 2001.

Siegel EL, Huang H.K. *Medical Imaging 2002: PACS and Integrated Medical Information Systems: Design and Evaluation*. Proceedings. Bellingham, WA: SPIE, 2002.

Siegel EL, Kolodner R. *Filmless Radiology*. New York, NY: Springer-Verlag; 1999.

Siegel EL, Reiner BI, Carrino JA. *Quality Assurance: Meeting the Challenge in the Digital Medical Enterprise.* Leesburg, VA: SCAR Press, Inc.; 2002.

Siegel EL, Reiner BI, Dwyer SJ. *Security Issues in the Digital Medical Enterprise*, Leesburg, VA: SCAR Press, Inc.; 2000.

Siegel EL, Reiner BI, Smith EM. *Archiving in the Digital Medical Enterprise*. Leesburg, VA: SCAR Press, Inc.; 2001.

Siegel EL. *Medical Imaging 1999*. Proceedings. Bellingham, WA: SPIE; 1999.

Dwyer SJ, **Reiner BI**, Siegel El. *Security Issues in the Digital Medical Enterprise.* 2nd ed. Leesburg, VA: SCAR Press, Inc.; 2004.

White CS, **Chen JJ**. *Cases in Radiology: Cardiac Imaging.* New York City: Oxford University Press; 2010.

Note: A list of more than 1,000 presentations, abstracts, non-peer-reviewed articles, exhibits, invited speeches, and other academic materials authored by MIRTL members is available on request.