

District Addiction Consultation Service (DACS) Webinar:

Improving the Treatment of OUD for Youth

October 25th, 2024 | 11:30am – 1:00pm

Marc Fishman, MD

mfishman@marylandtreatment.org

Medical Director, Maryland Treatment Centers

Johns Hopkins University School of Medicine

DACS Guest Speaker

DACS



District Addiction Consultation Service

1-866-337-DACS (3227)

www.DistrictACS.org

DACS@som.umaryland.edu

Financial Disclosures

Dr. Fishman, faculty for this activity, has no relevant financial relationship(s) to disclose. None of the planners for this activity have relevant financial relationships to disclose.

All planner(s)/teacher(s)/instructor(s)/faculty/author(s)/writer(s) and reviewer(s) of this activity have reported no relevant financial relationships to disclose.

Learning Objectives

By the end of the session, participants will be able to:

- 1) Discuss current commonly used substances among the adolescent population
- 2) Recognize signs of substance use disorders and how to screen for them
- 3) Identify evidence-based methods for talking to adolescents about substance use
- 4) Define evidence-based treatment options for adolescents living with substance use disorders

Outline


- Scope of the problem
- Treatment
 - Medications (MAT / MOUD)
 - Family involvement
- Innovative, developmentally-informed approaches

Background and overview

- OUD is an advanced, malignant form of SUD, usually beginning in **youth**
- Adolescents and young adults are extremely vulnerable; Young adults are disproportionately affected; Adolescent involvement is increasing
- There is evidence and consensus for **medications in OUD** (MOUD) in youth, but dissemination is poor due to problems with capacity, misinformation, and prejudice
- Broader use of MOUD is vital as a cornerstone of treatment. **MOUD-forward approaches** are especially important.
- But youth have **worse outcomes** than mature adults because of developmental vulnerability and treatment system limitations
- Improved strategies that target treatment capacity, engagement, retention and medication adherence could help. The Youth Opioid Recovery Support (YORS) and BOND interventions and others have promise as **developmentally-informed** approaches

Adolescent OD deaths increasing

A Overdose mortality among adolescents by substance type



Adolescent ODs up disproportionately

Increases in OD deaths	Total	Adol (14-18)
2019-20	30%	94%
2020-21	15%	20%



Fentanyl

Intervention for youth substance use is Prevention for youth OUD

- Addiction – a developmental disorder of pediatric onset
- The vast majority of youth who initiate opioids have problems with other substances first
- Earlier onset associated with worse outcomes
- Earlier intervention associated with better outcomes
- Opioid addiction as an advanced stage in progression of illness
- Intervention for non-opioid SUD prior to opioid initiation – cannabis, alcohol, nicotine – is OUD prevention


MOUD for adolescents and young adults

Summary of the evidence

- Buprenorphine clearly effective
- XR-NTX promising, but less youth-specific research
- Outcomes very good, not as good as for older adults, but far better than without medication
- Longer is better; no evidence for time limitation
- No signal for safety or efficacy problems based on age
- MOUD first line; No evidence for fail-first

- **MOUD – should be STANDARD OF CARE**

Treatment guidelines for youth



American Society of Addiction Medicine (2015, 2020):

- Clinicians should consider treating adolescents using the full range of treatment options, including pharmacotherapy

American Academy of Pediatrics (2016):


- Encouraging pediatricians to consider offering MAT or discussing referrals to other providers for this service




Committee on Substance Use and Prevention Medication-assisted treatment of adolescents with opioid use disorders. *Pediatrics*, 2016;138(3):1893.
Kampman K & Jarvis M. *Journal of Addiction Medicine*, 2015;9(5):358-367.

Medications promote retention for youth (But poor uptake)

Youth 13-22, Medicaid claims
26% received any medication
(5% for age <18 yrs).



If only it were that easy



How should we help this young person?

- 18 (or 16 or 25), M or F
- Onset cannabis age 13
- Onset nasal (or smoked) “percocet” use 17, progressing to daily use with withdrawal within 8 months, injection fentanyl 6 months later
- 2 episodes residential tx, 1 AMA, 1 completed, but no continuing care
- Buprenorphine treatment (monthly supply Rx x 4), took erratically, sold half
- Presents in crisis seeking detox (“Can I be out of here by Friday?”)


Features of youth opioid treatment

- Developmental barriers to treatment engagement
 - Invincibility
 - Immaturity
 - Motivation and treatment appeal
 - Less salience of consequences
 - Strong salience of burdens of treatment
- Variable effectiveness of family leverage
- Pushback against sense of parental dependence and restriction
- Prominence of co-morbidity



Youth have worse outcomes than adults

Relapse: XBOT secondary analysis



MOUD feasible for youth in real world

But poor adherence in community treatment

- Treatment received in acute residential followed by multiple community providers, youth 15-21, N=288
 - XRNTX 28%, Bup 33%, No meds 39%
- Over 6 months following residential discharge **low rates of MOUD** use:
 - XRNTX: mean doses 1.3
 - 41% 1st OP dose
 - 12% 3rd OP dose
 - 2% 6th OP dose
 - Bup: mean days 57

Family Engagement: Historical Barriers

- Normative pushback against **sense of parental dependence and restriction**
- Clinicians: lack of training, competence, comfort
- Focus on **internal transformation**
- Preoccupying focus on “enabling”
- Over-rigid concern with **confidentiality**



Can families find a balance?



Desperate for immediate change, trying everything, sacrificing time and money, zero tolerance, going for the “nuclear option”, kicked out of the house TODAY.

vs.

Helpless. It doesn't matter what I do, my child is going to use. There's no point in trying. Don't ask, don't tell. Don't let me catch you using. I don't Want to know about it.

Rationale for family involvement

Both **families and patients** need a recipe for treatment with role definitions, expectations, and responsibilities

Families have **core competence, deep connections, special powers of persuasion** and natural leverage that we as clinicians don't have

Family **mobilization** – “Medicine may help with the receptors, but you still have to parent this difficult young person”

Encouragement of emerging patient autonomy and self-efficacy **is compatible** with empowerment of families

Principles of Family Negotiation

The Art of the Deal

- Pick your battles
- Know your **leverage**
- You gotta give to get
- You have more juice than you realize
- Keep your **eyes on the prize**




Example of Innovative Intervention


Youth Opioid Recovery Support (YORS)




Assertive
Outreach



Family
Involvement



Medication
Home Delivery



Incentives for
Medication

Assertive Treatment

Well established for treatment of **chronic illness** in hard-to-reach populations in which medication adherence is a **major barrier**

- TB, HIV, schizophrenia (ACT)



Elements of family sessions

Family **psychoeducation** about OUD, medications, and other treatment

Collaborative **treatment agreement** between youth, family member, program

Skill building and improving effectiveness: Communication skills; shaping desired behaviors through operant conditioning; picking your battles

How will family know about and help **support** attendance and treatment progress? How will family help **support** medication adherence?

Crisis management -- What is the back-up or rescue plan if there is trouble?

Poster child for family involvement?

- 23 year old male injecting heroin
- 4 inpatient detox admissions over 1.5 years, each time got first dose of extended release naltrexone but **never came back** for 2nd dose
- Lives with grandmother, team shows up with dose, he says no thank you, she says no not an option, **done deal**, gets 6 doses over 6 months

“As I learned from growing up, you don’t mess with your grandmother. “

- Prince William

Balancing parental and young adult empowerment

- Patient: “Mom, you can’t be in here when I’m getting the shot...”
- Therapist: “Ma’am I think it’s best if we provide her privacy for the injection.”
- Mother: “Are you kidding me? Of course I am. I’m not leaving this room till I see that medicine go in you...”

Don't take no for an answer

Tue, Apr 3, 6:30 PM


Can u stop calling my mother am done I don't want no more shots

Can you give us a call?


Thanks for sticking with us Eddie, we'll see you tomorrow around 7:30 for the shot. And if your having any problems with vivitrol, we can get you in to see the doctor about it

Mean outpatient MOUD doses received

Study 1
(XR-NTX only)



Study 2
(patient choice XR-NTX or XR-BUP)




Fishman M, et al. *Addiction*. 2020.
Wenzel K, et al. *JSAT*. 2021.


YORS Outcomes: Opioid Relapse-Free Survival

6-month non-relapse rates

Study 1
(XR-NTX only)



Study 2
(Patient choice XR-NTX or XR-Bup)



Fishman M, et al. *Addiction*. 2020.
Wenzel K, et al. *JSAT*. 2021.

YORS HEAL BRIM Project

- Yrs 1-2: intervention enhancement, test cycles
- Yrs 2-5: larger RCT of enhanced YORS

Enhancements: Focus groups, interviews, qualitative and quantitative results


- Medication choice – no brainer
- Mobile van – 2 thumbs up!
- Telehealth – 3 thumbs up!
- reSet m-health app – mixed reviews
- Parent peer tele-group – strong endorsement from sub-group
- Written feedback “report card” – lukewarm at best



Wenzel and Fishman. Mobile van delivery of extended-release buprenorphine and extended-release naltrexone for youth with OUD: An adaptation to the COVID-19 emergency. *JSAT*. 2021

Example of Innovative Intervention Primary Care Delivery, Hub and Spoke

- MOUD in youth serving primary care (**spokes**)
- Consultation and support from regional special center (**hub**)



Example of innovative intervention XR-Bup for adolescents

- Helps to address adherence problems
- Maryland medicaid approving on a case by case basis
- More research needed

Example of innovative intervention

Youth OUD recovery housing

- Youth-specific
- OUD-specific
- Emphasis on MOUD, co-occurring disorder treatment, and accommodation to youth shenanigans
- Embedded in full continuum of care

Outcomes (N= 46)

Avg. weeks in residence	14.4; Range = 0.4 - 50
Retention at 12-weeks	62%
Retention at 24-weeks	18%
Opioid Positive UDS at 12-wks	7.5%



Community reinforcement approach and family training (CRAFT)

- Working primarily with the concerned significant other (CSO)
- Goals:
 - Move the loved one toward treatment
 - Reduce loved one's substance use
 - Improve the CSO's wellbeing
- Methods
 - Communication skills -- be positive, be brief, refer to specific behaviors, use I statements, offer to help, shape behaviors – be consistent, use healthy natural rewards



MARYLAND FYI

Family & Youth Interventions for Substance Use

Parent CRAFT



Parent CRAFT is a self-paced online video course that teaches parents, caregivers, and concerned others solution-focused, practical skills and techniques needed to meet the risks of substance use. Highly engaging online video segments include structured suggestions for practicing skills that are not only applicable to families with substance-involved youth but also relevant to anyone raising an adolescent. Focus areas include effective communication, positive reinforcement, natural consequences, strategies to support youth accepting treatment.

The **Parent CRAFT** course consists of five sections, with each section building on previous skills learned. The video portion of each section is less than one hour. Parents are encouraged to complete the sections over a period of several weeks and practice the skills before moving on to a new section.

Components of **Parent CRAFT** include:

1. Understanding teen's triggers for use, maintaining factors, and potential negative long-term consequences.
2. Learning communication skills for discussing concerns about teen's drug use: use of understanding statements, accepting partial responsibility, and use of specific behavioral examples.
3. Using positive reinforcement to influence and change behavior.
4. Allowing for natural consequences to unfold (stopping enabling and protecting).
5. Suggesting professional help.

Parent CRAFT has been shown to be highly effective, with a 71% success rate in getting adolescents and TAY into treatment.

Treatment providers are also encouraged to explore the **Parent CRAFT** course to better assist parents and caregivers in supporting adolescent and TAY abstinence.

Free print materials aimed at family engagement can be requested for display by providers/schools and distribution to families. ****While supplies last****

The **Parent CRAFT** registration QR code and a variety of images are available upon request for displaying on provider websites, social media, and flyers.

Click [HERE](#) to access this free resource!

Or type the following into your internet browser:

<https://www.cadenceonline.com/maryland/>

This resource is available to all Maryland parents and caregivers for FREE (a \$200 value) through Maryland Family and Youth Interventions for Substance Use (Maryland FYI). Maryland Family and Youth Interventions for Substance Use (Maryland FYI) is part of the Maryland State Opioid Response, funded by SAMHSA. Maryland FYI Partners include: Maryland Department of Health Behavioral Health Administration, the National Center for School Mental Health, Bowie State University, Morgan State University, NAMI Maryland, and the Maryland Coalition of Families.

For more information on substance use prevention and intervention training opportunities available through the NCSMH, please contact:

Melissa Ambrose, LCSW-C

mambrose@som.umaryland.edu


Training Director for Substance Use Initiatives | National Center for School Mental Health

BOND

Building opioid recovery support networks to engage and retain loved ones in medication for OUD

- Moving upstream to engage families in order to engage youth with OUD
- Coaching of families (and other concerned significant others) to get out-of-treatment youth into treatment
- Recruit concerned significant others
- Outcomes – engagement into treatment, MOUD initiation, MOUD retention

MARYLAND RESIDENTS: DO YOU WORRY ABOUT SOMEONE'S OPIOID USE?



**WE CAN HELP YOU TALK
TO THEM**

Call to see if you qualify for free support for concerned significant others of people who use opioids.

CONTACT US

MARYLAND TREATMENT CENTERS
(240) 739-0601
MTCBOND@GMAIL.COM



SCAN ME

New adolescent inpatient treatment program

THE BALTIMORE SUN

Health | Residential treatment program for youth with...



ADVERTISEMENT

NEWS > HEALTH

Residential treatment program for youth with substance use disorders coming to Baltimore



By ANGELA ROBERTS | aroberts@baltsun.com

UPDATED: September 11, 2024 at 8:14 p.m.



DEPARTMENT OF HEALTH

Wes Moore, Governor · Aruna Miller, Lt. Governor · Laura Herrera Scott, M.D., M.P.H., Secretary

Referrals -- Laura Grant

lgrant@marylandtreatment.org

September 11, 2024

Media Contact:

Chase Cook, Director, Office of Communications, 410-767-8649

Maryland Department of Health announces new program for youth struggling with substance and opioid use disorders

New residential program provides high-intensity inpatient services including 15 new beds for Maryland youth

Baltimore, MD – The Maryland Department of Health, in partnership with the Montgomery County Department of Health and Human Services, today announced the launch of a Residential Substance Use Disorder Treatment for Minors program. The program is specifically designed to provide inpatient treatment for Marylanders under the age of 18.



MARYLAND TREATMENT CENTERS


www.marylandtreatment.org

Conclusions

A Call to Action

- We are at a crossroads
- We have an existing and emerging toolbox but an **alarmingly low level** of adoption and utilization
- Emerging research and clinical consensus support **aggressive treatment for OUD across the lifespan** with MOUD
- We are saving lives, but we need to do better
- **Developmentally-informed interventions** might help
- If not now, then when?

Hypothetical miracle cures?



Therapeutic optimism remains one of our best tools!



Questions?

1-866-337-DACS (3227)

www.DistrictACS.org

DACS@SOM.umaryland.edu

DACS



District Addiction Consultation Service

Selected References

- Wenzel et al. Choice of extended release medication for OUD in young adults (buprenorphine or naltrexone): a pilot enhancement of the Youth Opioid Recovery Support (YORS) intervention. *JSAT*. 2021..
- Wenzel K and Fishman M. Mobile van delivery of extended-release buprenorphine and extended-release naltrexone for youth with OUD: An adaptation to the COVID-19 emergency. *JSAT*. 2020
- Hogue A, Becker S, Fishman M, Henderson C, Levy S. Youth OUD Treatment During and After COVID: Increasing Family Involvement across the Services Continuum. *JSAT*. 2020.
- Fishman M, Wenzel K, Scodes J, Pavlicova M, Lee J, Rotrosen J, Nunes E. Young adults have worse outcomes than older adults: Secondary analysis of a medication trial for opioid use disorder. *J Adol Health*. 2020.
- Fishman M, Wenzel K, Vo H, Wildberger J, Burgower R. A pilot randomized controlled trial of assertive treatment including family involvement and home delivery of medication for young adults with opioid use disorder. *Addiction*. 2020.
- Woody G, Fishman M. “Medication for Opioid-Addicted Youth – What are We Waiting For?” *J Adol Health*. 67: 9-10. July 2020.
- Monico L, Ludwig A, Lertch E, Dionne R, Fishman M, Schwartz R, Mitchell S. Opioid overdose experiences in a sample of US adolescents and young adults: a thematic analysis. *Addiction*. 2020.
- Vo H, Burgower R, Rozenberg I, Fishman M. Home-based Delivery of XR-NTX in Youth with Opioid Addiction. *J Subst Abuse Treat*. 85 (2018) 84–89. PMID: 28867062
- Levy S, et al. A Novel Approach to Treating Adolescents with Opioid Use Disorder in Pediatric Primary Care. *Substance Abuse*. 2018